

TABLE OF CONTENTS

CLICK ON THE LINKS BELOW TO GO TO THAT PAGE.

COLORING SYSTEMS 3-11 ▶

Colour-Hard™	3	▶
Accent-Colour Release™	3	▶
Fresco Stain™	4	▶
Fresco Stain™ Color Card	5	▶
Tinté D'Acqua Stain™	6	▶
Tinté D'Acqua Stain™ Color Card	7	▶
Colour Ease™	8	▶
Colour Coat™	8	▶
Colour-Dye™	9	▶
Design Tape	10	▶
Legacy Colors' Color Card	11	▶

ARCHITECTURAL RESURFACING 12-15 ▶

Legacy Colourant™	12	▶
Venetian Micro-Topping™	13	▶
Artisan Overlay™	14	▶
Legacy Primer™	14	▶
Perfetto-Espray™	15	▶
PolyMod 200™	15	▶

TOOLING™ SIGNATURE SERIES 16-19 ▶

Feather Edge Skins	16	▶
New Tooling Mats	17	▶
Slate	18	▶
Stone	18	▶
Brick	19	▶
Wood & ADA	19	▶

TOOLING ACC/FINISHING AIDS 20-21 ▶

Grout Wheels	20	▶
Chisels	20	▶
Tampers	20	▶
Accent-Liquid Release™	21	▶
Stampers Helper™	21	▶

PROTECTANTS 22 ▶

Signature Seal VOC™	22	▶
Poly Shine™	22	▶
Premium Seal VOC 100™	22	▶
AquaClear VOC™	22	▶
Magnum Seal™	22	▶
Classic Seal™	22	▶
Skid Grip™	22	▶
DeGlosser™	22	▶
Floor Wax	22	▶

CUSTOMER SERVICE 23 ▶

Technical Data and MSDS sheets available at legacycolor.com

COLORING SYSTEMS



COLOUR-HARD™

Description

Colour-Hard™ is a cementitious dry shake material formulated with proprietary components, carefully balanced premium aggregates and high-purity UV resistant pigments. The product is manufactured under strict One Delta E standards, ensuring color uniformity and consistency, performance and workability. Colour-Hard™ is available in 20 Classic Series and 8 Signature Series colors. Packaging is available in 5 gallon buckets. Refer to Legacy Colors' Color Card on page 11.

Increased Abrasion Resistance
 Increased Surface Density and Durability
 UV Resistant
 Can be Antiqued or Stained
 Custom Color Matching Available

Basic Uses

Colour-Hard™ is designed for use on interior or exterior applications for both pedestrian and vehicular traffic. Apply Colour-Hard™ to create many different finishes, from smooth trowel and broom finish to imprinted patterns and natural textures or as a base color palette to artistic stain designs.

Use With These Products & Systems

- Impressions™
- Fresco Stain™
- Tinté D'Acqua™
- Magnum Seal™
- AquaClear VOC™
- Signature Seal VOC™
- Poly Shine™
- Premium Seal VOC 100™



**SEE PAGE 10-11 FOR PART NUMBERS AND
 COLOR CARD COLOR SELECTIONS**



ACCENT-COLOUR RELEASE™

Description

Accent-Colour Release™ is a pigmented dry powder release for stamping tools, designed to be used when a mottled, antiqued appearance is desired. This pigmented bond-breaker is formulated with proprietary components and high-purity pigments that are UV resistant and streak-free. Accent-Colour Release™ is available in 20 Classic Series and 8 Signature Series colors and designed to add contrast or antiquing effects with Colour-Hard™. Accent-Colour Release™ is packaged in 30 lb. plastic pails. Refer to Legacy Colors' Color Card on page 11.

UV Resistant
 Streak-Free
 Custom Color Matching Available

Basic Uses

Accent-Colour Release™ is used in creating antiquing effects for Impressions™.

Use With These Products & Systems

- Colour-Hard™
- Impressions™
- Signature Seal VOC™
- Magnum Seal™
- AquaClear VOC™
- Poly Shine™
- Premium Seal VOC 100™

COLORING SYSTEMS



FRESCO STAIN™

Description

Fresco Stain™ is a penetrating, reactive stain that produces unique color effects in finished cementitious surfaces that simulate the natural shadings and aged appearance of stone or masonry. The color effect produced is unique to each stained surface and cannot be duplicated with other materials. Fresco Stain™ creates a chemical reaction within the concrete substrate. This reaction slightly etches the concrete surface to provide deeper and more permanent color.

Basic Uses

Fresco Stain™ may be applied over smooth troweled or textured concrete, cement-based overlays, vertical or horizontal concrete and masonry surfaces, artificial rock displays, water features and themed finishes. Fresco Stain™ is ideally suited for use in the Impression™, Peretto-Espray™, Venetian Micro-Topping™, and Artisan Overlay™ systems.

- 8 standard colors
- Classified as non-hazardous
- Environmentally friendly



FRESCO STAIN PLUS™

Description

It is blended with Fresco Stain™ and enhances the color palette with additional color options of reduced value. Fresco Stain Plus™ compliments the artist's application methods by allowing for special finishing techniques of ragging color washing, sponging and stippling. Fresco Stain Plus™ may be utilized for removal of unwanted spills and over-spray.

FRESCO STAIN PROFILER 1™

Profiler 1™ is ideal for cleaning and preparing cementitious surfaces for acid staining, decorative overlays, water base stains, coatings applications, etc. Used to open the pores on the surface and clean grime, dirt, grease, scuff marks and stains.



Fresco Stain™ - Reactive Stains

FS601	Amber	FS605	Copper	FSP1	Profiler
FS602	Aspen	FS606	Forest Green	FP701	Fresco Plus
FS603	Caribbean	FS607	Hickory		
FS604	Clay	FS608	Peppercorn		

COLORING SYSTEMS

FRESCO STAIN™ COLORS

APPLIED ON GRAY CONCRETE



Amber



Aspen



Caribbean



Clay



Copper



Forest Green



Hickory



Peppercorn

APPLIED ON WHITE CONCRETE



Amber



Aspen



Caribbean



Clay




Copper



Forest Green



Hickory



Peppercorn

Please note: These color chips are to be used as a guideline only. Legacy® strongly advises a representative job sample for each product.

COLORING SYSTEMS



TINTÉ D'ACQUA STAIN™

Description

Tinté D'Acqua™ is a penetrating, water-based stain that produces unique color effects in finished cementitious surfaces that simulates the natural shadings and aged appearance of stone or masonry. The color effect produced is unique to each stained surface and cannot be duplicated with other materials. Tinté D'Acqua™ contains no acids or harmful chemicals and works as an alternative to typical reactive acid stains. There are no acids or harmful chemicals integrated in its design.

Basic Uses

Tinté D'Acqua™ may be applied over smooth troweled or textured concrete, cement-based overlayers, vertical or horizontal concrete and masonry surfaces, artificial rock displays, water features and themed finishes. Tinté D'Acqua™ is ideally suited for use in the Impressions™, Perfetto-Espray™, Venetian Micro-Topping™, and Artisan Overlay™ systems.

Benefits

- Reduces installation time
- No neutralizing required
- Dries faster than reactive stains
- No rinse required
- Seal when dry



Tinté D'Acqua™ - Water Based Stains

WBS10	Patina	WBS24	Aged Bronze
WBS11	Terra	WBS25	Bernado
WBS12	Tuscan	WBS26	Magnet
WBS13	Canyon	WBS27	Baltic
WBS14	Aqua	WBS28	Orange
WBS15	Gulf	WBS29	Taiga Brown
WBS16	Tomatillo	WBS30	Pewter
WBS17	Aged Patina	WBS31	Coral Red
WBS18	Black	WBS32	Venetian Clay
WBS19	Granada	WBS33	Mediterranean
WBS20	Granite	WBS34	Dried Basil
WBS21	Breccia	WBS35	Metalica
WBS22	Antebellum	WBS36	Walnut
WBS23	Roma	WBS37	Essence

COLORING SYSTEMS

TINTÉ D'ACQUA STAIN™ COLORS



Essence



Breccia



Patina



Aqua



Gulf



Granada



Baltic



Dried Basil




Granite



Aged Patina



Orange



Coral Red



Mediterranean



Tomatillo



Tuscan



Venetian Clay



Antebellum



Canyon



Roma



Terra



Aged Bronze



Pewter



Metalica



Taiga Brown



Magnet



Bernado



Walnut



Black

Please note: These color chips are to be used as a guideline only. Legacy® strongly advises a representative job sample for each product.

COLORING SYSTEMS



COLOUR EASE™

Description

Colour Ease™ is a penetrating, polymer-modified stain designed to add color and highlighting to cured concrete or overlay surfaces. Colour Ease Solid Color™ is opaque, covering the entire surface. Colour Ease Highlighter™ is transparent and can be used for antiquing. Colour Ease™ does not react to chemicals in concrete making it consistent and controllable. The stain actually penetrates the surface and forms a breathable finish that requires no sealer.

Colour Ease™ can be used for unsealed concrete flatwork, concrete block, pavers, and textured concrete. When the application surface is properly cleaned, it will cover discolorations and stains. Colour Ease™ is available in 20 Classic Series and 8 Signature Series colors. A Colour Ease™ kit will cover approximately 200-400 sq. ft.

- Penetrating Solid or Transparent Color
- No Sealer Required
- Dries Quickly
- No VOC's

COLOUR COAT™

Colour Coat™ is a richly pigmented coating, opaque, high-strength, and perfect for coloring any unsealed, concrete surface. Colour Coat™ reduces the effects of fungus and is extremely UV-resistant. Colour Coat™ is available in all 20 Classic Series and 8 Signature Series colors. Custom color matching is also available.

- Richly Pigmented Colors
- UV-Resistant
- Use to Antique, Marbleize, and Faux Paint
- Suitable For All Cementitious Surfaces

Do Not Allow To Freeze

LCE-	Solid-Color Kit (Full Size)
LCES	Solid-Color Sample Kit
LCEH-	Highlighter Kit
FB-800	8" Applicator Brush
FB-1000	10" Applicator Brush

LCC4-	Colour Coat™ (most colors) 4 gl. kit
LCC4-124	Colour Coat™ Bluestone 4 gl. kit
LCC1-	Colour Coat™ (most colors) 1 gl. kit
LCC1-124	Colour Coat™ Bluestone 1 gl. kit



SEE PAGE 11 FOR COLOR CARD COLOR SELECTIONS

COLORING SYSTEMS



COLOUR-DYE™

Description


Colour-Dye™ penetrates the surface of concrete, creating a layer of translucent color that dries quickly and will not chip, crack, or peel. Colour-Dye™ is packaged in powdered form to be mixed in proportion with acetone. Colour-Dye™ is excellent in vertical applications, stencils, and logos because it dries so quickly. Colour-Dye™ colors are vivid with unique multi-colored intensities, similar to the mottling effect of acid stain. Colors can be combined to create an unlimited number of color variations.

- Interior Use
- 12 Colors Available
- Easy To Spray Apply
- Dries Quickly
- Ideal For Polished Concrete
- Use Any Spray-On Sealer

Colour-Dye™ Colors Available:

Green Leaf	LCD701
Topaz	LCD702
Amaretto	LCD703
Harvest Moon	LCD704
Espresso	LCD705
Latte	LCD706
Red Rock	LCD707
Redwood	LCD708
Golden Oak	LCD709
Texas Tea	LCD710
Sapphire	LCD711
Georgia Clay	LCD712

LCD-	12 Standard Colors Bottle
LCD-MP	Mottling & Penetrating Agent Bottle
DS-8350	Acetone Sprayer
DS-8500	Tip Kit Check Valve Kit



DESIGN & COLOR SYSTEMS

DESIGN TAPE

- Creates the patterns that mimic stone, tile or slate
- Doesn't disintegrate, shed fiber hairs or cause grout bleeds
- No glue residue
- Replicates most patterned surfaces affordably
- Strong and versatile
- Eliminates the need for chalk lines
- Allows for more accurate cutting

Product Code:	Description:	Used For:
LDT90	144 ROLLS PER CASE - 1/4"	GROUT LINE
LDT91	72 ROLLS PER CASE - 1/2"	GROUT LINE
LDT92	48 ROLLS PER CASE - 3/4"	GROUT LINE
LBT95	72 ROLLS PER CASE - 1/2"	BRICK TAPE



Signature & Classic Series Colours Part Numbers
See Legacy® Colour Card On Next Page


Colour-Hard™ Pails	Colour Release™ Pails	Liquid Colourant™ 6/packs	Colors
CH101P	RA101	LC101/6	Bone
CH102P	RA102	LC102/6	Antique White
CH103P	RA103	LC103/6	Cream Beige
CH104P	RA104	LC104/6	Sand
CH105P	RA105	LC105/6	Venetian Pink
CH106P	RA106	LC106/6	Quarry Red
CH107P	RA107	LC107/6	Brick Red
CH108P	RA108	LC108/6	Canyon Red
CH109P	RA109	LC109/6	Stone Gray
CH110P	RA110	LC110/6	Light Gray
CH111P	RA111	LC111/6	Charcoal
CH112P	RA112	LC112/6	Black
CH113P	RA113	LC113/6	Saddle Brown
CH114P	RA114	LC114/6	Desert Tan
CH115P	RA115	LC115/6	Rust
CH116P	RA116	LC116/6	Nutmeg
CH117P	RA117	LC117/6	Autumn
CH118P	RA118	LC118/6	Mesa
CH119P	RA119	LC119/6	Terra Cotta
CH120P	RA120	LC120/6	Plum
CH121P	RA121	LC121/6	Ash White
CH122P	RA122	LC122/6	Sage
CH123P	RA123	LC123/6	Shadow Slate
CH124P	RA124	LC124/6	Bluestone
CH125P	RA125	LC125/6	Coronado
CH126P	RA126	LC126/6	Pecan
CH127P	RA127	LC127/6	Federal Yellow
CH128P	RA128	LC128/6	Federal Red

COLORING SYSTEMS

LEGACY COLORS' COLOR CARD

Colour-Hard™ • Accent Release™ • Colour Ease™ • Colour Coat™ • Legacy Colourant™ Color Card
 Used to color: Venetian Micro-Topping™ • Artisan Overlay™ • Perfetto-Espray™

Signature Series



Ash White 121




Sage 122



Shadow Slate 123



Bluestone 124



Coronado 125



Pecan 126




Federal Yellow 127




Federal Red 128


Classic Series




Bone 101




Antique White 102



Cream Beige 103



Sand 104



Venetian Pink 105




Quarry Red 106



Brick Red 107



Canyon Red 108



Stone Gray 109




Light Gray 110



Charcoal 111



Black 112




Saddle Brown 113



Desert Tan 114



Rust 115



Nutmeg 116



Autumn 117



Mesa 118



Terra Cotta 119



Plum 120

Please note: These color chips are to be used as a guideline only. Legacy® strongly advises a representative job sample for each product.

ARCHITECTURAL RESURFACING



LEGACY COLOURANT™

Description

Legacy Colourant™ is an engineered blend of ColorFlo™ and proprietary components designed specifically as color admixtures for the Artisan Overlay™, Perfetto-Espray™ and Venetian Micro-Topping™ product lines. This non-hazardous, water-based formulation permits easy cleanup and hassle free shipping. Strict One Delta E standards ensure color uniformity and consistency, and UV resistance is standard in Legacy products. Legacy Colourant™ is available in 20 Classic Series and 8 Signature Series colors, packaged in 10 oz. bottles. See the Legacy Colors' Color Card for a complete list of available colors, in both standard and designer color formulas.

Unlimited Color Combinations
Non-Hazardous
Easy Shipping

Basic Uses

Legacy Colourant™ is designed specifically as a liquid colourant admixture for coloring Perfetto-Espray™, Artisan Overlay™ and Venetian Micro-Topping™ product lines.

Use With These Products & Systems

- Artisan Overlay™ StampCoat
- Perfetto-Espray™ Matrix 200™
- Venetian Micro-Topping™

Mixing

- 1-10 oz. Liquid Colourant to 1 unit of architectural grout
- 28 colors
- Environmentally Friendly
- VOC Compliant

Do Not Allow To Freeze



**SEE PAGE 10-11 FOR PART NUMBERS AND
COLOR CARD COLOR SELECTIONS**



ARCHITECTURAL RESURFACING



VENETIAN MICRO-TOPPING™

Description

Venetian Micro-Topping™ is a multi-purpose concrete topping designed to transform tired and distressed concrete into a beautiful new wear resistant surface. The grout mix is used with the PolyMod 200™ and can be smooth troweled or lightly textured, colored and/or stained to create a wide array of decorative finishes. When properly installed it permanently bonds to concrete surfaces and becomes a durable topping. Venetian Micro-Topping™ is suitable for installation of fully bonded, thin-sectioned layers of up to 1/16" (.158 cm) each. Typical applications will include the use of the Perpetto-Espray™ as a base coat prior to top coating with the Venetian Micro-Topping™ material. Venetian Micro-Topping™ can be integrally colored with Legacy Colourant™ (10 ounce bottles). When the topping has cured, additional coloring can be added with the Fresco Stain™ or Tinte' D'Acqua™ water-based stain.

- Interior/Exterior Use
- For use with PolyMod 200™
- Can be integrally colored with Legacy Colourant™



Architectural Resurfacing	
Venetian Micro-Topping™	
MT401BG	Micro-Topping - bag
PM202G	PolyMod 200 - 5 gal
Stampers Helper™	
SH501P	Stampers Helper - 5 gal
Legacy Primer™	
OP501P	Legacy Primer - 5 gal
Accent-Liquid Release™	
LR150P	Accent-Liquid Release - 5 gal

SEE PAGE 11 FOR COLOR CARD COLOR SELECTIONS



ARCHITECTURAL RESURFACING



ARTISAN OVERLAY™

Description

Artisan Overlay™ is a single component (add water only) blend of special materials that forms a thin, concrete coating. Artisan Overlay™ is easy to install and forms a tough, durable topping that will withstand years of wear. When used on properly prepared surfaces Artisan Overlay™ will permanently bond to concrete surfaces. Artisan Overlay™ is suitable for overlay applications that require a layer of 1/4"-1/2" (.63-1.27 cm) in thickness. Artisan Overlay™ should be used with Legacy Primer™ to achieve optimum adhesion to the concrete surface. Use Legacy Overlay Texture Mats, Legacy Colourants™ and Accent-Liquid Release™ to create color and texture on existing horizontal concrete surfaces.

- Integrally color with Legacy Colourant™
- Interior or exterior use
- Creates a new 1/4"-1/2" surface
- Can be textured with Legacy Tooling™
- Single component, (add water only) mix
- Comes in 60 pound bags

LEGACY PRIMER™

"NEW"

Description

Legacy Primer™ is an entirely new concept in primers for cementitious materials. It prevents the concrete from absorbing water from the overlay material making it easier to spread and achieve a smooth surface. Also, Legacy Primer™ is a reactive primer, remaining active for at least two hours after it is applied. It reacts and forms a chemical link between the overlay and the substrate. Legacy Primer™ increases the bond strength by creating a more efficient chemical link between the concrete and the overlay.

- "Reactive Primer"
- Easy application
- Greatly enhances bonding to concrete
- Prevents the sub floor from absorbing moisture from overlay
- Interior or exterior use
- Great for priming all masonry surfaces: concrete, tile, terrazzo, brick and overlays
- Overlay may be applied on Legacy Primer™ whether it's wet or dry for up to two hours



ARCHITECTURAL RESURFACING



PERFETTO-ESPRAY™

Description

The Perfetto-Espray™ Matrix 200™ is a sprayable acrylic modified, cementitious overlay that is designed to be applied with a hopper gun. The product works with the Perfetto-Espray™ PolyMod 200™ and can be integrally colored using the Legacy Colourant™ (10 ounce bottles). The advanced polymer matrix allows the product to be sprayed or troweled to create unique concrete surfaces that, when sealed, are resistant to water intrusion which minimizes premature surface degradation.

The Perfetto-Espray™ Matrix 200™ is a sprayable texturing system formulated for resurfacing existing interior or exterior concrete. The product can be patterned and textured to create the look of brick, stone, tile or other unique specialty finishes. Perfetto-Espray™ Matrix 200™ can also be applied in a monolithic sprayed, non-skid texture. The product is also used as a base coat for the Venetian Micro-Topping™ material.

- Spray or Trowel
- Interior or exterior use
- For use with PolyMod 200™
- Can be integrally colored with Legacy Colourant™



Architectural Resurfacing	
Perfetto-Espray™	
PE201BG	Matrix 200 Grout - bag
PM202G	PolyMod 200 - 5 gal
Artisan Overlay™	
AO302BG	StampCoat - bag
Legacy Primer™	
OP501P	Legacy Primer - 5 gal



SEE PAGE 11 FOR COLOR CARD COLOR SELECTIONS

SIGNATURE SERIES

FEATHER EDGE SKINS



LAREDO LEDGE STONE

S-LS209R-4 4' x 4'
 S-LS209R-3 3' x 3'
 S-LS209R-2 2' x 2'
 S-LS209F-2 2' x 2'
 S-LS209S 12"

RIGID
 RIGID
 RIGID
 FLEX
 SKIN



SEAMLESS TEXTURE STONE

S-ST240R 36" x 36"
 S-ST239R 24" x 24"
 S-ST239S 12"

RIGID
 RIGID
 SKIN



ROMAN SLATE

S-RSTF234-36 36" x 36"
 S-RSTF233-24 24" x 24"
 S-RSTF233S 12"

RIGID
 RIGID
 SKIN



CHISELED SLATE TEXTURE

S-CSTF223-36 36" x 36"
 S-CSTF223-24 24" x 24"
 S-CSF211S-12 12"


RIGID
 RIGID
 SKIN



SLATE TEXTURE

S-STF227-36 36" x 36"
 S-STF227-24 24" x 24"
 S-STF227S 12"

RIGID
 RIGID
 SKIN



YUCATAN TEXTURE

S-YTF224-36 36" x 36"
 S-YTF224-24 24" x 24"
 S-YTF224S 12"

RIGID
 RIGID
 SKIN

SIGNATURE SERIES

NEW TOOLING MATS



RIPPLE RIVER ROCK SKIN

S-RR214-36 36"x36"
 S-RR214-24 24"x24"
 S-RR214S 12"

SKIN

RIGID
 RIGID



BASKET WEAVE NEW STONE WEAVE LOOK

S-BW213R 24"x36"
 S-BW213F 24"x36"
 S-BW213S 12"

RIGID
 FLEX
 SKIN



LINCOLN TRAIL LARGE RANDOM STONE STAMP

S-LT212R 36"x65"
 S-LT212F 36"x65"
 S-LT212S 12"

RIGID
 FLEX
 SKIN



SIGNATURE SERIES

SLATE/STONE



AMERICAN ASHLAR SLATE

S-AS203RA	A 30" x 48"	RIGID
S-AS203RB	B 30" x 48"	RIGID
S-AS203F	B 30" x 48"	FLEX
S-AS203SS	SINGLES	STONE
S-AS203S	12"	SKIN
S-AS203WS	(6",12",18")	WALL
		STARTER KIT




10" COBBLESTONE SOLDIER

S-CSS208R	10" x 48"	RIGID
S-CCS208F	10" x 48"	FLEX
S-CCS208S	12"	SKIN



14" SLATE TILE W/ 6" INSERT

S-ST205R-6	28" x 28"	RIGID
S-ST205F-6	28" x 28"	FLEX
S-ST205WS	2 PCS.	WALL
		STARTER KIT
S-ST205S	12"	SKIN



COBBLESTONE

S-CS207RA	28" x 34"	RIGID
S-CS207FA	28" x 34"	FLEX
S-CS207S	12"	SKIN



14" SLATE TILE

S-ST204RA	A 28" x 42"	RIGID
S-ST204FA	A 28" x 42"	FLEX
S-ST204RB	B 14" x 42"	RIGID
S-ST204FB	B 14" x 42"	FLEX
S-ST204S	12"	SKIN



ROUGH STONE BORDER

S-RS208R	13" x 52"	RIGID
S-RS208F	13" x 52"	FLEX
S-RS208S	12"	SKIN

SIGNATURE SERIES

BRICK/WOOD/ADA



RUNNING BOND BRICK

S-RB201A	24" x 48"	RIGID
S-RB201FA	24" x 48"	FLEX
S-RB201SB	3.5" x 7.5"	BRICK
S-R201S	12"	SKIN



RANDOM STONE

S-RS701RA	29.125"x29.125"	A RIGID
S-RS701RB	29.125"x29.125"	B RIGID
S-RS701RC	29.125"x29.125"	C RIGID
S-RS701F	29.125"x29.125"	FLEX
S-RS701S	12"	SKIN



8" SOLDIER COURSE BRICK

S-SC202R	8" x 48"	RIGID
S-SC202F	8" x 48"	FLEX
S-SC202S	12"	SKIN




8" WOOD PLANK

S-WP211R-6	6' x 16"	RIGID
S-WP211F-6	6' x 16"	FLEX
S-WP211R-4	4' x 16"	RIGID
S-WP211F-4	4' x 16"	FLEX
S-WP211RF-88" x 16"	RIGID FILLER	
S-WP211F-8	8" x 16"	FLEX
S-WP211S	12"	SKIN



6" TILE BORDER

S-TB206R	6" x 48"	RIGID
S-TB206F	6" x 48"	FLEX
S-TB206S	12"	SKIN



ADA PATTERNS

S-ADA210R-4	2' x 4'	RIGID
-------------	---------	-------

TOOLING ACCESSORIES

GROUT TOOLS

GROUT TOOLS ARE DESIGNED IN SEVERAL STYLES, COMPLEMENTING THE CLASSIC AND SIGNATURE SERIES TOOLING. GROUT TOOLS ARE DURABLE AND LIGHTWEIGHT, REDUCING INSTALLER LABOR EFFORTS. GROUT TOOLS REDUCE SQUEEZE-UP PASTE BETWEEN STAMPS, CREATING FINISHED, CRISP LINES. GROUT TOOLS SOLD 12/CASE ONLY.

LM-6510	GROUT TOOL	1/4"	ROUND
LM-6520	GROUT TOOL	3/16"	FLAT
LM-6530	GROUT TOOL	3/8"	FLAT
LM-6540	GROUT TOOL	3/8"	SANDED



CHISELS

CHISELS ARE DESIGNED IN SEVERAL DIFFERENT SIZES, ALLOWING THE PROFESSIONAL TO CREATE JOINTS AND PATTERNS OR TOUCH UP GROUT LINES. CHISELS ARE ENGINEERED FROM HIGH-STRENGTH, LIGHTWEIGHT ALUMINUM. CHISELS SOLD 6/CASE ONLY.

A-805	ALUMINUM CHISEL	1' 1/2"
A-804	ALUMINUM CHISEL	3"
A-803	ALUMINUM CHISEL	4"
A-800	ALUMINUM CHISEL	8"
A-705	ALUMINUM CHISEL	12"
A-700	ALUMINUM CHISEL	18"



TAMPERS

TAMPERS ARE ENGINEERED AND CRAFTED TO BE DURABLE, LIGHTWEIGHT AND SHOCK ABSORBING WHILE DELIVERING THE IMPACT AND FORCE NEEDED TO IMPRINT THE CONCRETE SURFACE.

LT-500	MAT TAMPER	(15" x 15") 18 LBS.
--------	------------	---------------------



FINISHING AIDS



ACCENT-LIQUID

RELEASE™

Description

Accent-Liquid Release™ is a colorless bondbreaker, formulated to prevent Tooling™ from sticking to the still plastic concrete or stampable overlays.

Accent-Liquid Release™ is used when a mottled, antiqued appearance is NOT desired and is available in a 5-gallon pail.

- Interior or exterior
- Alternative to powder releases
- Reduces clean-up efforts

Use With These Products or Systems

- Tooling™
- Impressions™
- Artisan Overlay™

Coverages

Approximately 150 square feet per gallon (3.7 square meters per liter).

LR150P Accent-Liquid Release 5 gal. pail



STAMPERS HELPER™

Description

Stampers Helper™ is a clear, concentrated, water-based, evaporation retardant formulated and designed specifically for use with colored decorative concrete products and systems. By retaining surface moisture, this product enhances finishing and overall workability without affecting the final color, cure or strength of concrete and without inhibiting the bonding of coatings. Stampers Helper™ is water-based, clear, odorless, economical and environmentally friendly.

Stampers Helper™ Benefits

- Retains surface moisture needed for dry shake color hardener, stamp overlay and polymer modified applications.
- Reduces plastic shrinkage, cracking and crusting during stamping process.
- Improves overall workability with high-air entrained and super plasticized concrete mix designs.
- Allows proper finishing techniques in dry, hot or high humidity conditions without introducing water to product surface, which would affect final color.

SH501P Stampers Helper 5 gal. pail



PROTECTANTS

SIGNATURE SEAL VOC™

- Lacquer-based formula
- Gloss finish
- Fast drying
- VOC content is less than 400 g/l

POLY SHINE™ “NEW”

- Non-Yellowing, Crystal Clear
- Zero VOC
- Prolongs Life of Surface
- Enhances Color
- Easy to Apply

PREMIUM SEAL VOC 100™

- Lacquer-based formula
- Super gloss finish
- Fast drying
- VOC content is 100 g/l

AQUACLEAR VOC™

- Water-based
- Satin, low sheen, matte finish
- VOC content is less than 100 g/l

MAGNUM SEAL™

- Medium gloss finish
- VOC content is less than 700 g/l

CLASSIC SEAL™ “NEW”

- High quality economical sealer
- High gloss sealer that is 700 VOC

SKID GRIP™

- Produces a “bite” to the concrete surface.
- Applications include inclined driveways, garages, steps, patios and pool decks.
- Makes the surface easier to walk on and will not affect topcoat color.

DEGLOSSER™ “NEW”

- Effectively reduces gloss
- Reduced reflectance helps distinguish floor color
- Liquid Additive is easy to measure and mix
- Additive does not affect viscosity

FLOOR WAX “NEW”


- Super-Tough Film
- Semi-Gloss
- Interior Use Only



Protectants			
Signature Seal VOC™		Magnum Seal™	
SS501P	5 gal	MS501P	5 gal
Poly Shine™		Classic Seal™	
PO501K	2 gal kit	CS501P	5 gal
Premium Seal VOC 100™		Skid Grip™	
PS501P	5 gal	SG501L	16 oz.
AquaClear VOC™			
AC501P	5 gal		

DeGlosser™		Floor Wax	
DG501C	8 oz.	Legacywax1	1 gal
		Legacywax5	5 gal

CUSTOMER SERVICE



To Order, See Color Division Above:

- ILLINOIS
Tel. 217-522-3112
Toll Free 800-624-0261
Fax. 800-624-3147
Springfield, IL 62791-8406

- CALIFORNIA
Toll Free 800-483-9628
Fax 217-744-2605

Legacy® Decorative Concrete Systems, A Division of Solomon Colors, Inc.:

4050 Color Plant Rd.
Springfield, IL 62702

For Technical Support:
jreynolds@solomoncolors.com

For Information Online:
www.legacycolor.com

EDUCATION

If you're new to the decorative concrete business or a seasoned contractor interested in advancing your knowledge of the industry's potential, Legacy invites you to attend our quality, hands-on product presentations, demonstrations and/or training seminars. You'll learn techniques for surface preparation and application methods of Legacy's various overlay systems, tools, color applications, protectants and more. Classes are held through distributors, to educate contractors on the best techniques for product use and tips for creating quality designs to impress prospective clients and help grow contractors' businesses. Check with your local dealers to see if they have any demos scheduled.

